

[>grey]

entry high conductivity solid OFC line for great hi-fi experience

**RRP
incl.VAT**

Grey ANALOGUE 2RCA-2RCA 0,75m	basic high conductivity pseudo-balanced shielded interconnect cable	190,00 €
Grey ANALOGUE 2RCA-2RCA 1m		200,00 €
extra stereo meter	DETAILS:70% DYNAMICS:75% COHERENCE:75% SHIELDING:50%	50,00 € ↑
Grey SUB RCA-RCA 3m	basic high conductivity pseudo-balanced shielded subwoofer cable	150,00 €
extra meter	DETAILS:70% DYNAMICS:75% COHERENCE:75% SHIELDING:50%	25,00 € ↑
Grey BALANCED 2XLR-2XLR 1m	basic high conductivity balanced shielded interconnect cable - great dynamics	280,00 € ↑
extra stereo meter	DETAILS:75% DYNAMICS:75% COHERENCE:75% SHIELDING:50%	50,00 € ↑
Grey OPTILINK TOS-TOS 0,7m	high conductivity optical cable - great detail and dynamics (Hand Made in P.R.C.)	70,00 € ↑
Grey OPTILINK TOS-TOS(3.5) 1m	also available as TOS-3,5mm optical minijack	80,00 € ↑
Grey OPTILINK TOS-TOS(3.5) 1,5m	also available as TOS-3,5mm optical minijack	90,00 € ↑
Grey OPTILINK TOS-TOS(3.5) 2m	also available as TOS-3,5mm optical minijack	100,00 € ↑
Grey OPTILINK TOS-TOS 3m		120,00 € ↑
Grey OPTILINK TOS-TOS 5m		150,00 € ↑
Grey OPTILINK TOS-TOS 8m		180,00 € ↑
Grey OPTILINK TOS-TOS 10m	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:0%	200,00 € ↑
Grey OPTILINK TOS-3.5 ADAPTER	addon 3,5mm minijack adapter for TOSLINK cables (Made in P.R.C.)	5,00 €
Grey X-SPEAKER 2x1,5m	basic no-shielding small speaker CL3 installation X-SPEAKER cable	130,00 €
Grey X-SPEAKER 2x2m		140,00 €
Grey X-SPEAKER 2x2,5m		150,00 €
R2 (X-SPEAKER) single meter	DETAILS:75% DYNAMICS:70% COHERENCE:75% SHIELDING:0%	10,00 €
X-SPEAKER single SW termination 2/2	Z-Banana plugs only - price per SingleWire piece	50,00 €
Grey R2 - reel 100m	2x18AWG 4N OFC solid , XLPE, 5,5mm, transparent	1 000,00 €
Grey SPEAKER 2x1,5m	advanced high conductivity shielded T4 speaker cable - great dynamics	195,00 € ↑
Grey SPEAKER 2x2m	(Z-Banana plugs / Spade plugs only on request)	220,00 € ↑
Grey SPEAKER 2x2,5m	2x15AWG solid conductors 1xShield 8mm grey	245,00 € ↑
extra T4 SPEAKER single meter	DETAILS:75% DYNAMICS:75% COHERENCE:75% SHIELDING:50%	25,00 € ↑
single SW termination 2/2	SingleWire (2/2) charge per single cable (banana or spade)	60,00 €
Grey LINK Spade-Banana (set4)	15AWG high conductivity speaker links 4x 0,2m	120,00 €

[>clear]

heavy gauge stranded OFC line for classic hi-fi impression

**RRP
incl.VAT**

Clear ANALOGUE 2RCA-2RCA 1m	14AWG double shielded interconnect cable	280,00 € N
extra stereo meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:195%	80,00 €
Clear ANALOGUE+ 2RCA-2RCA 1m	14AWG triple shielded interconnect cable w/ DoubleGround™	400,00 €
extra stereo meter	DETAILS:80% DYNAMICS:85% COHERENCE:80% SHIELDING:245%	200,00 €
Clear SUB RCA-RCA 3m	14AWG double shielded interconnect cable	220,00 € N
extra meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:195%	40,00 €
Clear BALANCED 2XLR-2XLR 1m	14AWG dual shielded interconnect cable	350,00 € N
extra stereo meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:148%	120,00 €
Clear BALANCED+ 2XLR-2XLR 1m	14AWG triple shielded interconnect cable w/ DoubleGround™	600,00 €
extra stereo meter	DETAILS:80% DYNAMICS:85% COHERENCE:80% SHIELDING:245%	200,00 €
Clear POWER EU-IEC 0,75m	AMP POWER / 14AWG dual shielded power cable	150,00 € N
Clear POWER EU-IEC 1m	3x14AWG low stranded 4N OFC conductors 2xShield 9,5mm alu/transparent	160,00 € N
extra POWER meter	DETAILS:75% DYNAMICS:75% COHERENCE:75% SHIELDING:148%	60,00 €
extra IEC 16A (C19) option		30,00 €
D4 distribution box option	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	500,00 €
Clear T3 - reel 50m	3x14AWG low stranded 4N OFC 2xShield 9,7mm alu/transparent	3 000,00 € N
Clear POWER+ EU-IEC 0,75m	AMP POWER / 14AWG triple shielded power cable w/ DoubleGround™	200,00 €
Clear POWER+ EU-IEC 1m	4x14AWG low stranded 4N OFC conductors 3xShield 11mm silver/transparent	220,00 €
extra POWER+ meter	DETAILS:75% DYNAMICS:80% COHERENCE:75% SHIELDING:245%	100,00 €
extra IEC 16A (C19) option		30,00 €
D4 distribution box option	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	500,00 €
Clear SPEAKER 2x1,5m	2x14AWG low stranded 4N OFC 3xShield 8.7mm alu/transparent	240,00 €
Clear SPEAKER 2x2m		280,00 €
Clear SPEAKER 2x2,5m	also available on 50m spool / unterminated	320,00 €
Clear T2 SPEAKER single meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:195%	40,00 €
single SW termination 2/2	Z-Banana plugs / Spade plugs only on request - price per SingleWire piece	60,00 €
Clear T2 - reel 50m	2x14AWG low stranded 4N OFC 3xShield 8.7mm alu/transparent	2 000,00 €
Clear SPEAKER+ 2x1,5m SW	2x 11AWG low stranded tripple shielded speaker cable	420,00 €
Clear SPEAKER+ 2x2m SW	the only one available in SBW/BW (Z-Banana / Spade only on request)	520,00 €
Clear SPEAKER+ 2x2,5m SW	DETAILS:80% DYNAMICS:85% COHERENCE:80% SHIELDING:245%	620,00 €
Clear T4 SPEAKER+ single meter	4x14AWG low stranded 4N OFC 3xShield 11mm silver/transparent	100,00 €
single SW termination 2/2	SingleWire (2/2) charge per single cable (banana or spade)	60,00 €
single SBW termination 2/4	SingleBiWire (2/4) charge per single cable (banana or spade)	90,00 €
single BW termination 4/4	BiWire (4/4) charge per single cable (banana or spade)	120,00 €
Clear T4 - reel 50m	4x14AWG low stranded 4N OFC 3xShield 11mm silver/transparent	5 000,00 € N
Clear LINK Spade-Banana (set4)	11AWG high conductivity speaker links 4x 0,2m	160,00 € N

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

Black ANALOGUE 2RCA-2RCA 0,75m	high conductivity interconnect cable w/ ImpedanceControl™	300,00 €
Black ANALOGUE 2RCA-2RCA 1m		320,00 €
extra stereo meter	DETAILS:82% DYNAMICS:85% COHERENCE:85% SHIELDING:197%	120,00 € ↓
Black SUB RCA-RCA 3m	high conductivity subwoofer cable w/ ImpedanceControl™	300,00 €
extra meter	DETAILS:82% DYNAMICS:85% COHERENCE:85% SHIELDING:197%	60,00 €
Black BALANCED 2XLR-2XLR 1m	high conductivity balanced interconnect cable w/ ImpedanceControl™	400,00 €
extra stereo meter	DETAILS:85% DYNAMICS:85% COHERENCE:85% SHIELDING:197%	120,00 € ↓
Black MOBILE mini 3.5-3.5 0,25m	high conductivity interconnect cable w/ ImpedanceControl™	120,00 €
Black MOBILE mini 3.5-3.5 0,75m		140,00 €
Black MOBILE mini 3.5-3.5 1m		150,00 €
extra stereo meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:249%	50,00 €
Black MOBILE 3.5-3.5 0,5m	high conductivity interconnect cable w/ ImpedanceControl™	180,00 €
Black MOBILE 3.5-3.5 1m		200,00 €
extra stereo meter	DETAILS:82% DYNAMICS:85% COHERENCE:85% SHIELDING:197%	60,00 € ↓
Black CONNECT+ 3.5-2RCA 1m	high purity X2 interconnect cable w/ ImpedanceControl™	250,00 €
extra stereo meter	DETAILS:85% DYNAMICS:82% COHERENCE:85% SHIELDING:249%	100,00 €
Black HEADPHONE+ 3.5-2mono3.5 1,2m	high purity X2 interconnect cable w/ ImpedanceControl™	300,00 €
Black HEADPHONE+ 6.3-2miniXLR 1,5m	also 6.3/3.5s + HD8XX / HD6XX / 3.5s / 2mono3.5 jack custom connectors	330,00 €
extra stereo meter	DETAILS:85% DYNAMICS:82% COHERENCE:85% SHIELDING:249%	100,00 €
Black PHONO+ 2RCA-2RCA 1m	high purity X2 phono cable w/ ImpedanceControl™ w/ extra grounding wire	280,00 €
Black PHONO+ 5DIN-2RCA 1,2m	also custom 2RCA-2RCA, 2RCA-5DIN(180°) including extra GND lead	300,00 €
extra stereo meter	DETAILS:85% DYNAMICS:82% COHERENCE:85% SHIELDING:249%	100,00 €
Black DIGITAL RCA-RCA 0,7m	75 Ohm non-coaxial design digital S/PDIF cable w/ special non-coaxial connectors	250,00 €
Black DIGITAL RCA-RCA 1m	(also RCA-3.5, BNC-BNC, BNC-RCA, RCA-BNC)	280,00 €
extra DIGITAL meter	DETAILS:85% DYNAMICS:85% COHERENCE:85% SHIELDING:195%	100,00 €
Black AES/EBU XLR-XLR 1m	new non-coaxial design digital AES/EBU cable w/ XLR connectors	350,00 € N
extra DIGITAL meter	DETAILS:85% DYNAMICS:85% COHERENCE:85% SHIELDING:345%	100,00 €
Black USB (A-B) 0,7m	XBlack digital interconnect cable w/ ImpedanceControl™	170,00 €
Black USB (A-B) 1m		175,00 €
Black USB (A-B) 1,2m		180,00 €
extra USB meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:345%	25,00 €
Black USB+ (A-B) 0,7m	high purity X2 digital interconnect cable w/ ImpedanceControl™	250,00 €
Black USB+ (A-B) 1m		280,00 €
Black USB+ (A-B) 1,2m		300,00 €
extra USB+ meter	DETAILS:85% DYNAMICS:85% COHERENCE:85% SHIELDING:249%	100,00 €
Black NET (cat7+) 0,7m	XBlack digital interconnect cable w/ ImpedanceControl™	120,00 €
Black NET (cat7+) 1m		125,00 €
Black NET (cat7+) 1,5m		137,50 €
extra USB meter	DETAILS:80% DYNAMICS:80% COHERENCE:80% SHIELDING:345%	25,00 €
Black POWER SRC EU-C7 1 m	SOURCE POWER 2-pole C7-IEC / power cable w/ ImpedanceControl™ (max 3A)	160,00 €
Black POWER SRC EU-C7 1,5 m	2x17AWG 4N OFC solid conductors 1xShield	180,00 €
extra POWER C7 meter	DETAILS:85% DYNAMICS:80% COHERENCE:85% SHIELDING:95%	40,00 €
Black POWER SRC EU-IEC 1 m	SOURCE POWER EU-IEC / X2 power cable w/ ImpedanceControl™ (max 3A)	220,00 €
Black POWER SRC EU-IEC 1,5 m	2x17AWG 4N OFC solid N+L / 14AWG 4N OFC solid GND conductors 1xShield	270,00 €
extra POWER SRC meter	DETAILS:82% DYNAMICS:85% COHERENCE:80% SHIELDING:95%	100,00 €
extra expandable sleeve braid meter	BLACK or WHITE color outer cable sleeve	10,00 €
Black POWER+ EU-IEC 1 m	AMP POWER EU-IEC / X3 power cable w/ ImpedanceControl™ (max 16A)	280,00 €
Black POWER+ EU-IEC 1,5 m	3x14AWG 4N OFC solid conductors, separately shielded	350,00 €
extra POWER+ meter	DETAILS:82% DYNAMICS:85% COHERENCE:80% SHIELDING:95%	140,00 €
extra IEC 16A (C19) option		30,00 €
extra expandable sleeve braid meter	BLACK or WHITE color outer cable sleeve	10,00 €
D4 distribution box option	4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	500,00 €
Black X-SPEAKER 2x1,5m	2x17AWG shielded small speaker INSTALLATION cable w/ ImpedanceControl™	205,00 €
Black X-SPEAKER 2x2m		240,00 €
Black X-SPEAKER 2x2,5m	(Z-Banana plugs / Spade plugs only on request)	275,00 €
Black R2 (X-SPEAKER) single meter	DETAILS:85% DYNAMICS:80% COHERENCE:80% SHIELDING:95%	35,00 €
SW termination 2/2	Z-Banana plugs / Spade plugs only on request - price per SingleWire piece	50,00 €
Black R2 - reel 100m	2x17AWG high conductivity shielded CL3 installation cable OD: 6mm	3 500,00 €
Black SPEAKER 2x1,5m	2x13AWG double shielded X2 speaker cable w/ ImpedanceControl™	360,00 € ↓
Black SPEAKER 2x2m	2x13AWG 4N OFC solid conductors 2xShield 7+7mm pearl black	480,00 € ↓
Black SPEAKER 2x2,5m	(Z-Banana plugs / Spade plugs only on request)	600,00 € ↓
extra SPEAKER single meter	DETAILS:85% DYNAMICS:85% COHERENCE:85% SHIELDING:197%	120,00 € ↓
extra expandable sleeve braid single meter	BLACK or WHITE color outer cable sleeve	10,00 € ↓
Black LINK Spade-Banana (set4)	13AWG high conductivity 2x shielded speaker links 4x 0,2m	200,00 €

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

		low capacity highest purity solid OCC line for fast systems	RRP incl.VAT
White ANALOGUE 2RCA-2RCA 0,75m		highest purity OCC copper pseudo-balanced interconnect cable	500,00 €
White ANALOGUE 2RCA-2RCA 1m			550,00 €
White ANALOGUE 2RCA-2RCA 1,5m			700,00 €
extra stereo meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	300,00 €
White SUB RCA-RCA 3m		highest purity OCC copper pseudo-balanced subwoofer cable	600,00 €
extra meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	150,00 €
White BALANCED 2XLR-2XLR 1m		highest purity OCC copper balanced interconnect w/ ImpedanceControl™	600,00 €
extra stereo meter		DETAILS:95% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	300,00 €
White MOBILE mini 3.5-3.5 0,25m		highest purity minijack cable w/ ImpedanceControl™	200,00 €
White MOBILE mini 3.5-3.5 0,75m			230,00 €
White MOBILE mini 3.5-3.5 1m			250,00 €
White MOBILE mini 3.5-3.5 1,5m			310,00 €
extra stereo meter		DETAILS:90% DYNAMICS:85% COHERENCE:85% SHIELDING:249%	120,00 €
White MOBILE 3.5-3.5 1m		highest purity minijack cable w/ ImpedanceControl™	350,00 €
White MOBILE 3.5-3.5 1,5m			475,00 €
extra stereo meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	250,00 €
White CONNECT 3.5-2RCA 1m		highest purity X2 interconnect cable w/ ImpedanceControl™	400,00 €
White CONNECT 3.5-2RCA 1,5m			525,00 €
extra stereo meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	250,00 €
White HEADPHONE 3.5-2x3.5mono 1,2m		highest purity X2 headphone cable w/ ImpedanceControl™	440,00 €
White HEADPHONE 6.3-2miniXLR 1,5m			500,00 €
White HEADPHONE 6.3-2miniXLR 2m			625,00 €
extra stereo meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249% also available 6.3/3.5s + HD8XX / HD6XX / mono3.5 jack custom connectors	250,00 €
White PHONO 2RCA-2RCA 1m		highest purity X2 phono cable w/ ImpedanceControl™ w/ extra grounding wire	450,00 €
White PHONO 5DIN-2RCA 1,2m		also custom 2RCA-2RCA, 2RCA-5DIN(180°) including extra GND lead	500,00 €
extra stereo meter		DETAILS:94% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	250,00 €
White USB (A-B) 0,7m		highest purity X2 digital interconnect cable w/ ImpedanceControl™	400,00 €
White USB (A-B) 1m			450,00 €
White USB (A-B) 1,2m			500,00 €
extra USB meter		DETAILS:90% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	250,00 €
White USB (2A-B) 1,2m		highest purity X2 digital USB 2A-B cable w/ separate power and data	550,00 €
extra USB meter		DETAILS:90% DYNAMICS:90% COHERENCE:90% SHIELDING:245%	250,00 €
White POWER SRC EU-C7 1 m	new	SOURCE POWER 2-pole C7-IEC / power cable w/ ImpedanceControl™ (max 3A)	200,00 € N
White POWER SRC EU-C7 1,5 m	new	17AWG 7N OCC solid phase conductor / 17AWG 4N OFC neutral 3xShield	230,00 € N
extra POWER C7 meter		DETAILS:90% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	60,00 €
White POWER SRC EU-IEC 1 m	new	SOURCE POWER EU-IEC / X2 power cable w/ ImpedanceControl™ (max 3A)	300,00 € N
White POWER SRC EU-IEC 1,5 m	new	17AWG 7N OCC phase/ 17AWG 4N OFC neutral / 14AWG solid GND 3xShield	375,00 € N
extra POWER SRC meter		DETAILS:90% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	150,00 €
extra expandable sleeve braid meter		BLACK or WHITE color outer cable sleeve option	10,00 €
White X-SPEAKER 2x1,5m		2x17AWG 3x shielded high-end SMALL speaker cable w/ ImpedanceControl™	280,00 €
White X-SPEAKER 2x2m			340,00 €
White X-SPEAKER 2x2,5m		(Z-Banana plugs / Spade plugs only on request)	400,00 €
White R2 (X-SPEAKER) single meter		DETAILS:90% DYNAMICS:85% COHERENCE:85% SHIELDING:249%	60,00 €
SW termination 2/2		Z-Banana plugs / Spade plugs only on request - price per SingleWire piece	50,00 €
White R2 - reel 100m		2x17AWG high-end tripple shielded CL3 INSTALLATION speaker cable OD: 6mm	6 000,00 €
White SPEAKER 2x1,5m		14/13AWG tripple shielded high-end X2 speaker cable w/ ImpedanceControl™	600,00 €
White SPEAKER 2x2m		14AWG 7N OCC / 13AWG 4N OFC solid conductors 3xShield 2x7,5mm	800,00 €
White SPEAKER 2x2,5m		(Z-Banana plugs / Spade plugs only on request)	1 000,00 €
extra SPEAKER single meter		DETAILS:95% DYNAMICS:90% COHERENCE:90% SHIELDING:249%	200,00 €
extra expandable sleeve braid single meter		BLACK or WHITE color outer cable sleeve	10,00 €
White LINK Spade-Banana (set4)		14/13AWG high-end 3x shielded speaker links w/ ImpedanceControl™ 4x0,2m	250,00 €

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

		high coherence solid OFC line for high-end systems	RRP incl.VAT
SuperBlack ANALOGUE 2RCA-2RCA 1m extra stereo meter		hi-end 3x shielded pseudo-balanced interconnect cable DETAILS:90% DYNAMICS:90% COHERENCE:95% SHIELDING:245%	800,00 € 600,00 €
SuperBlack BALANCED 2XLR-2XLR 1m extra stereo meter		hi-end 3x shielded balanced cable w/ ComplexDesign™ DETAILS:95% DYNAMICS:93% COHERENCE:95% SHIELDING:245%	1 000,00 € 600,00 €
SuperBlack BALANCED+ 2XLR-2XLR 1m extra stereo meter		hi-end 3x shielded balanced cable w/ DoubleGround™ DETAILS:95% DYNAMICS:97% COHERENCE:95% SHIELDING:295%	1 200,00 € 800,00 €
SuperBlack (ULT) DIGITAL RCA-RCA 1m extra DIGITAL meter		76 Ohm digital S/PDIF ultimate X2 cable (also available with BNC) DETAILS:95% DYNAMICS:95% COHERENCE:95% SHIELDING:195%	600,00 € 300,00 €
SuperBlack (ULT) USB (2A-B) 1,2m extra USB meter		ultimate X2 digital USB 2A-B (2.0) cable w/ separate power and data DETAILS:95% DYNAMICS:95% COHERENCE:95% SHIELDING:195%	660,00 € 300,00 €
SuperBlack POWER EU-IEC 0,75m		AMP POWER / 15AWG hi-end 3x shielded power cable w/ NaturalFilter™	450,00 €
SuperBlack POWER EU-IEC 1m		(EU-IEC)	500,00 €
SuperBlack POWER EU-IEC 1,2m extra POWER meter extra IEC 16A (C19) option D4 distribution box option		DETAILS:95% DYNAMICS:95% COHERENCE:95% SHIELDING:245% 4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	560,00 € 300,00 € 30,00 € 600,00 €
SuperBlack POWER+ EU-IEC 0,75m	new	AMP POWER / 15AWG hi-end 3x shielded power cable w/ DoubleGround™	700,00 € N
SuperBlack POWER+ EU-IEC 1m	new		800,00 € N
extra POWER+ meter extra IEC 16A (C19) option D4 distribution box option		DETAILS:97% DYNAMICS:99% COHERENCE:95% SHIELDING:299% 4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	600,00 € N 30,00 € 700,00 € N
SuperBlack SPEAKER 2x1,5m		12/15AWG hi-end 3x shielded speaker cable w/ ComplexDesign™	900,00 €
SuperBlack SPEAKER 2x2m		new asymmetrical design with great performance and smoother highs	1 200,00 €
SuperBlack SPEAKER 2x2,5m extra SPEAKER single meter		(Z-Banana plugs / Spade plugs only on request) DETAILS:95% DYNAMICS:95% COHERENCE:95% SHIELDING:245%	1 500,00 € 300,00 €
SuperBlack SPEAKER+ 2x1,5m	new	12/12AWG hi-end 3x shielded speaker cable w/ ComplexDesign™	1 800,00 € N
SuperBlack SPEAKER+ 2x2m	new	original SuperBlack Speaker renamed to SuperBlack+	2 400,00 € N
SuperBlack SPEAKER+ 2x2,5m extra SPEAKER+ single meter	new	(Z-Banana plugs / Spade plugs only on request) DETAILS:97% DYNAMICS:99% COHERENCE:95% SHIELDING:299%	3 000,00 € N 600,00 € N
SuperBlack LINK Spade-Banana (set4)		12/12AWG hi-end 2x shielded speaker links 4x0,2m	300,00 € ↓

[>reference]

		reference solid OCC line for ultra high-end systems	RRP incl.VAT
Reference ANALOGUE 2RCA-2RCA 0,75m		reference 4x shielded interconnect cable w/ ComplexDesign™	1 350,00 € ↓
Reference ANALOGUE 2RCA-2RCA 1m extra stereo meter		DETAILS:100% DYNAMICS:100% COHERENCE:100% SHIELDING:299%	1 500,00 € ↓ 1 000,00 € ↓
Reference BALANCED 2XLR-2XLR 1m extra stereo meter		reference 4x shielded balanced interconnect cable w/ ComplexDesign™ DETAILS:100% DYNAMICS:99% COHERENCE:100% SHIELDING:299%	1 500,00 € ↓ 1 000,00 € ↓
Reference DIGITAL RCA-RCA 1m extra digital meter	new	highest purity high-gauge X3 digital 75 Ohm SPDIF cable DETAILS:100% DYNAMICS:100% COHERENCE:100% SHIELDING:249%	1 000,00 € 500,00 €
Reference USB (2A-B) 1,2m extra USB meter		reference X2 digital USB A-B (2.0) cable w/ separate data/power DETAILS:98% DYNAMICS:98% COHERENCE:100% SHIELDING:249%	900,00 € 500,00 €
Reference POWER SRC EU-IEC 1m extra SRC POWER meter		reference source component power cable w/ ImpedanceControl™ (max 3A) DETAILS:100% DYNAMICS:95% COHERENCE:100% SHIELDING:249%	600,00 € 400,00 € ↑
Reference POWER EU-IEC 1m extra POWER meter extra IEC 16A (C19) option D4 distribution box option		reference any component 4x shielded power cable w/ ComplexDesign™ DETAILS:98% DYNAMICS:98% COHERENCE:98% SHIELDING:299% 4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	700,00 € ↓ 500,00 € ↓ 30,00 € 700,00 €
Reference POWER+ EU-IEC 1m	new	12/9AWG reference high-gauge power cable w/ DoubleGround™	1 200,00 € ↓
extra POWER+ meter extra IEC 16A (C19) option extra Puresonic EU-IEC option D4 distribution box option		DETAILS:100% DYNAMICS:100% COHERENCE:100% SHIELDING:299% massive shielded connectors upgrade 4x SHUKO sockets + reverse phase detection in shielded 27x6,5x5,5cm box	1 000,00 € 30,00 € 400,00 € ↓ 800,00 €
Reference SPEAKER 2x1m		12/14AWG highest purity 4x shielded speaker cable w/ ComplexDesign™	1 000,00 € ↓
Reference SPEAKER 2x1,5m		for fast ultra high-end systems	1 500,00 € ↓
Reference SPEAKER 2x2m			2 000,00 € ↓
Reference SPEAKER 2x2,5m extra SPEAKER single meter		(Z-Banana plugs / Spade plugs only on request) DETAILS:98% DYNAMICS:98% COHERENCE:98% SHIELDING:299%	2 500,00 € ↓ 500,00 € ↓
Reference SPEAKER+ 2x1m	new	9AWG highest purity 4x shielded speaker cable w/ ComplexDesign™	2 000,00 €
Reference SPEAKER+ 2x1,5m	new	for big ultra high-end systems	3 000,00 €
Reference SPEAKER+ 2x2m	new		4 000,00 €
Reference SPEAKER+ 2x2,5m extra SPEAKER single meter	new	(Z-Banana plugs / Spade plugs only on request) DETAILS:100% DYNAMICS:100% COHERENCE:100% SHIELDING:299%	5 000,00 € 1 000,00 €
Reference LINK Spade-Banana (set4)		12/12AWG highest purity speaker links w/ ImpedanceControl™ 4x0,2m	400,00 €
Reference LINK+ Spade-Banana (set4)		9/9AWG highest purity speaker links w/ ImpedanceControl™ 4x0,2m	500,00 €

in stock	on order	DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING
----------	----------	--

		RRP incl.VAT
SHOPPING BAG S	thick 100% cotton 26x33cm w/ handle, black color w/ white logo printing	8,00 €
SHOPPING BAG M	thick 100% cotton 30x40cm w20cm handle, black color w/ white logo printing	10,00 €
ROUND BAG 30	black round bag with zipper 30x2cm w/ small handle w/logo	30,00 €
ROUND BAG 40	black round bag with 2 zippers 40x5cm w/ bigger handle w/logo	50,00 €
Black GROUND LEAD spade-spade 1,2m	fine stranded 20AWG OFC insulated wire, 3mm OD, black color	25,00 €
White GROUND LEAD spade-spade 1,2m	fine stranded 20AWG OFC insulated wire, 3mm OD, white color	25,00 €
extra GROUND LEAD meter		5,00 €
Black USB POWER (A-5.5) 0,2m	high purity USB power cable w/ ImpedanceControl™ for DAC1	30,00 €
extra USB power meter	DETAILS:80% DYNAMICS:80% COHERENCE:85% SHIELDING:245%	50,00 €
White USB POWER (A-5.5) 0,2m	highest purity OCC USB power cable w/ ImpedanceControl™ for DAC1	60,00 €
extra USB power meter	DETAILS:80% DYNAMICS:80% COHERENCE:85% SHIELDING:245%	100,00 €
SCALE5 - phono cartridge force scale	0-5g high precision +/-0.01g auto calibration scale, black color (Made in P.R.C.)	29,00 €
DAC1 - D/A converter	TOSLINK / COAX input with autosense, RCA output, 5V adapter (Made in P.R.C.)	29,00 €
USB3.0-A(F)/USB-C(M) OTG adapter	adapter for high-end cables for Your PC/tablet/phone with USB-C (Made in P.R.C.)	6,00 €
USB2.0-A(F)/microUSB(M) OTG adapter	adapter for high-end cables for Your PC/tablet/phone's microUSB (Made in P.R.C.)	6,00 €
LP-12" INNER SLEEVES (20)	high quality HDPE antistatic rounded inner sleeves for LP records	10,00 €
LP-12" OUTER SLEEVES (20)	high quality sqared closable outer sleeves for LP records	15,00 €
in stock	on order	

DE - DETAIL, DN - DYNAMICS, SP - SPECTRUM, TM - TIMING, SH - SHIELD, VD - VIBR.DUMPING

Worldwide Distribution & Export: 4technologies s.r.o. +421 904 99 88 99 sales@cable4.eu www.cable4.eu

RRP including VAT all other prices net. All cables with extra meter option possible in any length longer than minimum on price-list.

[> high-end audio cables and accessories designed and handbuilt with passion in Slovakia] www.cable4.eu